

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Acer macrophyllum</i>	Bigleaf Maple	T	Sapindaceae
<i>Acer negundo</i> var. <i>californicum</i>	Box Elder	T	Sapindaceae
<i>Acmispon argophyllum</i> ssp. <i>argophyllum</i>	Silver Deervetch	S	Fabaceae
<i>Acmispon brachycarpus</i>	Hill Lotus	AH	Fabaceae
<i>Acmispon glaber</i> var. <i>glaber</i>	Deerweed	S	Fabaceae
<i>Acmispon grandiflorus</i> var. <i>grandiflorus</i>	Large-flowered Lotus	PH	Fabaceae
<i>Acmispon nevadensis</i> var. <i>davidsonii</i>	Sulphur-flowered Hosackia	AH	Fabaceae
<i>Acmispon strigosus</i> var. <i>strigosus</i>	Strigose Lotus	AH	Fabaceae
<i>Acmispon wranglianus</i>	Chile Lotus	AH	Fabaceae
<i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i>	Chamise	S	Rosaceae
<i>Adiantum capillus-veneris</i>	Southern Maidenhair or Venushair Fern	PF	Pteridaceae
<i>Agoseris grandiflora</i>	Bigflower Mountain Dandelion	PH	Asteraceae
<i>Agoseris retrorsa</i>	Spear-leaved Mountain Dandelion	PH	Asteraceae
<i>Agrostis</i>	a bentgrass	PG	Poaceae
<i>Alcea rosea</i> *	Hollyhock	BH	Malvaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i>	Violet Phlox	AH	Polemoniaceae
<i>Alnus rhombifolia</i>	White Alder	T	Betulaceae
<i>Amaranthus albus</i> *	Pigweed Amaranth	AH	Amaranthaceae
<i>Amaranthus blitoides</i>	Prostrate Amaranth	AH	Amaranthaceae
<i>Amorpha californica</i> var. <i>californica</i>	California False Indigo	S	Fabaceae
<i>Amsinckia menziesii</i> var. <i>menziesii</i>	Common Fiddleneck	AH	Boraginaceae
<i>Ancistrocarphus filagineus</i>	Woolly Fishhooks	AH	Asteraceae
<i>Antirrhinum kelloggii</i>	Kellogg Snapdragon	AV	Veronicaceae
<i>Aphyllon</i> [<i>Orobanche</i>] <i>franciscanum</i>	Franciscan Broomrape	PH	Orobanchaceae
<i>Apocynum androsaemifolium</i>	Bitter Dogbane	PH	Apocynaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>glandulosa</i>	Eastwood Manzanita	S	Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i>	Santa Ynez Mountains Manzanita	S	Ericaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	Ericaceae
<i>Artemisia douglasiana</i>	Mugwort	PH	Asteraceae
<i>Artemisia dracuncululus</i>	Tarragon	PH	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>tridentata</i>	Great Basin Sagebrush	S	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	Vasey's Great Basin Sagebrush	S	Asteraceae
<i>Asclepias eriocarpa</i>	Kotolo	PH	Apocynaceae
<i>Avena barbata</i> *	Slender Wild Oat	AG	Poaceae
<i>Avena sativa</i> *	Cultivated Oat	AG	Poaceae
<i>Baccharis glutinosa</i>	Saltmarsh Baccharis	S	Asteraceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	Asteraceae
<i>Baccharis salicifolia</i> ssp. <i>salicifolia</i>	Mulefat	S	Asteraceae
<i>Barbarea orthoceras</i>	American Wintercress	BH	Brassicaceae
<i>Bidens pilosa</i> *	Beggars Ticks	PH	Asteraceae
<i>Bloomeria crocea</i> ssp. <i>crocea</i>	Goldenstars	PB	Themidaceae
<i>Boechera arcuata</i>	Few-flowered Rock Cress	PH	Brassicaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Boechera sparsiflora</i>	Few-flowered Rock Cress	PH	Brassicaceae
<i>Kopsiopsis [Boschniakia] strobilacea</i>	California Ground Cone	PH	Orobanchaceae
<i>Brickellia californica</i>	California Brickellbush	S	Asteraceae
<i>Brickellia californica</i> X <i>B. nevinii</i>	Nevin California Brickellbush hybrid	S	Asteraceae
<i>Brickellia nevinii</i>	Nevin Brickellbush	S	Asteraceae
<i>Bromus catharticus</i> var. <i>elatus</i> *	Chilean Brome	PG	Poaceae
<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	PG	Poaceae
<i>Bromus diandrus</i> ssp. <i>diandrus</i> *	Ripgut Grass	AG	Poaceae
<i>Bromus grandis</i>	Tall Brome	PG	Poaceae
<i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> *	Soft Chess	AG	Poaceae
<i>Bromus madritensis</i> ssp. <i>madritensis</i> *	Madrid Brome	AG	Poaceae
<i>Bromus rubens</i> *	Red Brome	AG	Poaceae
<i>Bromus stamineus</i> *	South American Brome	PG	Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Downy Brome	AG	Poaceae
<i>Calochortus catalinae</i>	Catalina Mariposa Lily	PG	Liliaceae
<i>Calochortus fimbriatus</i>	Late-flowered Mariposa Lily	PG	Liliaceae
<i>Calyptridium monandrum</i>	Common Calyptridium	AH	Montiaceae
<i>Calyptridium parryi</i> var. <i>parryi</i>	Parry Calyptridium	AH	Montiaceae
<i>Calystegia macrostegia</i> ssp. <i>intermedia</i>	Intermediate Morning-glory	PV	Convolvulaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Morning-glory	PV	Convolvulaceae
<i>Calystegia purpurata</i> ssp. <i>purpurata</i>	Purple Morning-glory	PV	Convolvulaceae
<i>Camissonia strigulosa</i>	Strigose Primrose	AH	Onagraceae
<i>Camissoniopsis hirtella</i>	Small-haired Primrose	AH	Onagraceae
<i>Camissoniopsis ignota</i>	Small Primrose	AH	Onagraceae
<i>Camissoniopsis intermedia</i> var. <i>intermedia</i>	Intermediate Sun Cups	AH	Onagraceae
<i>Camissoniopsis micrantha</i>	Tiny Primrose	AH	Onagraceae
<i>Capsella bursa-pastoris</i> var. <i>bursa-pastoris</i> *	Shepherd's Purse	AH	Brassicaceae
<i>Carex senta</i>	Rough Sedge	PH	Cyperaceae
<i>Castilleja exserta</i> ssp. <i>exserta</i>	Purple Owl's Clover	AH	Orobanchaceae
<i>Castilleja foliolosa</i>	Woolly Indian Paintbrush	PH	Orobanchaceae
<i>Castilleja subinclusa</i> ssp. <i>subinclusa</i>	Long-leaved Indian Paintbrush	PH	Orobanchaceae
<i>Caulanthus coulteri</i> var. <i>coulteri</i>	Coulter Jewelflower	AH	Brassicaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball	S	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>planus</i>	Flatleaf Snowball	S	Rhamnaceae
<i>Ceanothus leucodermis</i>	Chaparral Whitethorn	S	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	Rhamnaceae
<i>Ceanothus palmeri</i>	Palmer's Deer Brush	S	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	Asteraceae
<i>Centaurea solstitialis</i> *	Yellow Star-thistle	AH	Asteraceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<i>Chaenactis glabriuscula</i> var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i>	Woolly Yellow Pincushion	AH	Asteraceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Chenopodium album</i> *	Lambs Quarters	AH	Chenopodiaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Agavaceae
<i>Chorizanthe clevelandii</i>	Cleveland Spineflower	AH	Polygonaceae
<i>Chorizanthe staticoides</i> var. <i>staticoides</i>	Turkish Rugging	AH	Polygonaceae
<i>Chrysothamnus nauseosus</i> ssp. <i>mohavensis</i>	Mojave Rubber Rabbitbrush	S	Asteraceae
<i>Cirsium occidentale</i> var. <i>californicum</i>	California Thistle	BH	Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i>	Red Thistle	AH	Asteraceae
<i>Clarkia bottae</i>	Punchbowl Godetia	AH	Onagraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	Four-spotted Purple Clarkia	AH	Onagraceae
<i>Clarkia unguiculata</i>	Elegant Farewell-to-Spring	AH	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	Montiaceae
<i>Claytonia parviflora</i> ssp. <i>viridis</i>	Green Small-flowered Miner's Lettuce	AH	Montiaceae
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	Mexican Miner's Lettuce	AH	Montiaceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce	AH	Montiaceae
<i>Claytonia rubra</i> ssp. <i>rubra</i>	Red Miner's Lettuce	AH	Montiaceae
<i>Clematis lasiantha</i>	Pipestem Clematis	PV	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	Ranunculaceae
<i>Centaurea</i> [<i>Cnicus</i>] <i>benedictus</i> *	Blessed Thistle	AH	Asteraceae
<i>Conyza canadensis</i>	Common Horseweed	AH	Asteraceae
<i>Cordylanthus rigidus</i> ssp. <i>rigidus</i>	Rigid Bird's Beak	AH	Orobanchaceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-Aster	PH	Asteraceae
<i>Cryptantha clevelandii</i>	Cleveland Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha corollata</i>	Crowned Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha flaccida</i>	Flaccid Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha intermedia</i>	Common Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha muricata</i>	Jones Prickly Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha nemaclada</i>	Colusa Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha rattanii</i>	Rattan's Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha torreyana</i>	Torrey Forget-Me-Not	AH	Boraginaceae
<i>Cuscuta subinclusa</i>	Canyon Dodder	AV	Convolvulaceae
<i>Cynodon dactylon</i> *	Bermuda Grass	PG	Poaceae
<i>Datisca glomerata</i>	Durango Root	PH	Datisceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i>	Pale-flowered Larkspur	PH	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>parishii</i>	Parish's Larkspur	PH	Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>parryi</i>	Parry Larkspur	PH	Ranunculaceae
<i>Dendromecon rigida</i> ssp. <i>rigida</i>	Bush Poppy	S	Papaveraceae
<i>Diplacus brevipes</i>	Short Monkeyflower	AH	Phrymaceae
<i>Diplacus calycinus</i>	Fuzzy Bush Monkeyflower	S	Phrymaceae
<i>Diplacus fremontii</i> var. <i>fremontii</i>	Fremont Monkeyflower	AH	Phrymaceae
<i>Diplacus johnstonii</i>	Johnston Monkeyflower	AH	Phrymaceae
<i>Diplacus longiflorus</i>	Sticky Bush Monkeyflower	S	Phrymaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Diplacus rattanii</i>	Rattan's Monkeyflower	AH	Phrymaceae
<i>Dipterostemon capitatus</i> ssp. <i>capitatus</i>	Blue Dicks	PB	Themidaceae
<i>Drymocallis glandulosa</i> var. <i>glandulosa</i>	Sticky Cinquifol	PH	Rosaceae
<i>Drymocallis lactea</i> var. <i>lactea</i>	Sierra Nevada Sticky Cinquifol	PH	Rosaceae
<i>Dryopteris arguta</i>	Coastal Wood Fern	PF	Dryopteridaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	Crassulaceae
<i>Dysphania ambrosioides</i>	Mexican Tea	BH	Chenopodiaceae
<i>Ehrendorferia</i> [<i>Dicentra</i>] <i>chrysantha</i>	Golden Eardrops	PH	Fumariaceae
<i>Eleocharis parishii</i>	Parish Spike-rush	PH	Cyperaceae
<i>Elymus condensatus</i>	Giant Wildrye	PG	Poaceae
<i>Elymus elymoides</i> ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	Poaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue Wildrye	PG	Poaceae
<i>Elymus triticoides</i> ssp. <i>triticoides</i>	Creeping Wildrye	PG	Poaceae
<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	Whispering Bells	AH	Hydrophyllaceae
<i>Ephedra viridis</i>	Green Ephedra	S	Ephedraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i>	Broad-leaved California Fuchsia	PH	Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i>	Sticky Northern Willow-herb	AH	Onagraceae
<i>Equisetum laevigatum</i>	Smooth Scouring Rush	PF	Equisetaceae
<i>Eremocarpus setigerus</i>	Dove Weed	AH	Euphorbiaceae
<i>Eriastrum sparsiflorum</i>	Few-flowered Woolly Star	AH	Polemoniaceae
<i>Ericameria arborescens</i>	Golden-fleece	S	Asteraceae
<i>Ericameria linearifolia</i>	Narrowleaf Goldenbush	S	Asteraceae
<i>Ericameria nauseosa</i> var. <i>mohavensis</i>	Mojave Rubber Rabbitbrush	S	Asteraceae
<i>Ericameria nauseosa</i> var. <i>oreophila</i>	Common Rubber Rabbitbrush	S	Asteraceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane	PH	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	Namaceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Sticky Thickleaf Yerba Santa	S	Namaceae
<i>Eriodictyon trichocalyx</i> var. <i>trichocalyx</i>	Hairy Yerba Santa	S	Namaceae
<i>Eriogonum cithariforme</i> var. <i>cithariforme</i>	Cithara Buckwheat	AH	Polygonaceae
<i>Eriogonum clavatum</i>	Hoover Little Trumpet	AH	Polygonaceae
<i>Eriogonum covilleanum</i>	Coville Buckwheat	AH	Polygonaceae
<i>Eriogonum davidsonii</i>	Davidson Buckwheat	AH	Polygonaceae
<i>Eriogonum elongatum</i> var. <i>elongatum</i>	Long-stemmed Buckwheat	P	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>fasciculatum</i> +	California Buckwheat	S	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i>	Hoary California Buckwheat	S	Polygonaceae
<i>Eriogonum inerme</i> var. <i>inerme</i>	Unarmed Buckwheat	AH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i>	Hairy-flowered Barestem Buckwheat	PH	Polygonaceae
<i>Eriogonum nudum</i> var. <i>westonii</i>	Weston Barestem Buckwheat	PH	Polygonaceae
<i>Eriogonum vimineum</i>	Wicker-stem Wild Buckwheat	AH	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	Asteraceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit Family
<i>Eriophyllum pringlei</i>	Pringle Golden Yarrow	AH Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH Geraniaceae
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	PH Brassicaceae
<i>Erythranthe guttata</i>	Common Streamside Monkeyflower	PH Phrymaceae
<i>Erythranthe moshata</i>	Musk Monkeyflower	AH Phrymaceae
<i>Erythranthe nasuta</i>	Long-nosed Monkeyflower	AH Phrymaceae
<i>Eschscholzia caespitosa</i> ssp. <i>caespitosa</i>	Tufted Poppy	AH Papaveraceae
<i>Eschscholzia californica</i> ssp. <i>californica</i>	California Poppy	AH Papaveraceae
<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	Common Eucrypta	AH Boraginaceae
<i>Eulobus californicus</i>	Mustard Primrose	AH Onagraceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH Asteraceae
<i>Foeniculum vulgare</i> *	Sweet Fennel	PH Apiaceae
<i>Frangula californica</i> ssp. <i>californica</i>	California Coffeeberry	S Rhamnaceae
<i>Frangula californica</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S Rhamnaceae
<i>Fraxinus dipetala</i>	California Flowering Ash	T Oleaceae
<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	Pine Mat	PH Rubiaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i>	Intermediate Pine Mat	PH Rubiaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S Rubiaceae
<i>Galium cliftonsmithii</i>	Santa Barbara Bedstraw	PH Rubiaceae
<i>Galium hallii</i>	Nodding Bedstraw	PH Rubiaceae
<i>Galium parisense</i> *	Wall Bedstraw	AH Rubiaceae
<i>Galium porrigens</i> var. <i>porrigens</i>	Climbing Bedstraw	PV Rubiaceae
<i>Garrya veatchii</i>	Veatch's Silktassel Bush	S Garryaceae
<i>Gilia achilleifolia</i> ssp. <i>achilleifolia</i>	California Gilia	AH Polemoniaceae
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i>	Blue Field Gilia	AH Polemoniaceae
<i>Gilia latiflora</i> var. <i>davyi</i>	Davy Broad-flowered Gilia	AH Polemoniaceae
<i>Glycyrrhiza lepidota</i>	American Licorice	PH Fabaceae
<i>Gutierrezia californica</i>	California Matchweed	S Asteraceae
<i>Hazardia squarrosa</i> var. <i>obtusata</i>	Prickly Sawtooth Goldenbush	S Asteraceae
<i>Helianthemum scoparium</i>	Peak Rushrose	PH Cistaceae
<i>Hemizonella minima</i>	Hemizonella	AH Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i>	Clumping Our Lord's Candle	S Agavaceae
<i>Hesperoyucca whipplei</i> ssp. <i>whipplei</i>	Our Lord's Candle	S Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S Rosaceae
<i>Heterotheca sessiliflora</i> var. <i>camphorata</i>	Camphor Golden-Aster	PH Asteraceae
<i>Hirschfeldia incana</i> *	Summer Mustard	PH Brassicaceae
<i>Hoita orbicularis</i>	Round-leaved Hoita	PH Fabaceae
<i>Hordeum murinum</i> ssp. <i>glaucum</i> *	Summer Barley	AG Poaceae
<i>Hordeum vulgare</i> var. <i>trifurcatum</i> *	Beardless Barley	AG Poaceae
<i>Hordeum vulgare</i> var. <i>vulgare</i> *	Common Barley	AG Poaceae
<i>Hosackia crassifolia</i> var. <i>crassifolia</i>	Buck Lotus	PH Fabaceae
<i>Hosackia stipularis</i> var. <i>stipularis</i>	Balsam Lotus	PH Fabaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Hulsea heterochroma</i>	Red-rayed Hulsea	PH	Asteraceae
<i>Hypochaeris glabra</i> *	Smooth Cat's-ear	AH	Asteraceae
<i>Juglans californica</i>	Southern California Black Walnut	T	Juglandaceae
<i>Juncus oxymers</i>	Sharp-edged Rush	PH	Juncaceae
<i>Juncus textilis</i>	Basket Rush	PH	Juncaceae
<i>Juniperus californica</i>	California Juniper	S	Cupressaceae
<i>Keckiella cordifolia</i>	Heart-leaved Bush Penstemon	S	Veronicaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Blue-stemmed Bush Penstemon	S	Veronicaceae
<i>Koeleria macrantha</i>	Junegrass	PG	Poaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	Asteraceae
<i>Lasthenia californica</i> ssp. <i>californica</i>	California Goldfields	AH	Asteraceae
<i>Lathyrus vestitus</i> var. <i>vestitus</i>	Pacific Peavine	PV	Fabaceae
<i>Lemna minuta</i> [<i>L. minuscula</i>]	Tiny Duckweed	AH	Araceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	Asteraceae
<i>Leptoscyne bigelovii</i>	Bigelow Coreopsis	AH	Asteraceae
<i>Leptosiphon parviflorus</i>	Yellow Linanthus	AH	Polemoniaceae
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i>	Continental Pygmy Linanthus	AH	Polemoniaceae
<i>Linanthus parryae</i>	Parry Linanthus	AH	Polemoniaceae
<i>Lobelia dunnii</i> var. <i>serrata</i>	Dunn Lobelia	PH	Lobeliaceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	Poaceae
<i>Lomatium dasycarpum</i> ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	Apiaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	Caprifoliaceae
<i>Lupinus albifrons</i> var. <i>albifrons</i>	Silver Bush Lupine	S	Fabaceae
<i>Lupinus bicolor</i>	Bicolored Lupine	AH	Fabaceae
<i>Lupinus breweri</i> var. <i>breweri</i>	Brewer Mat Lupine	AH	Fabaceae
<i>Lupinus excubitis</i> var. <i>hallii</i>	Hall Bush Lupine	S	Fabaceae
<i>Lupinus hirsutissimus</i>	Nettle Lupine	AH	Fabaceae
<i>Lupinus longifolius</i>	Long-leaved Bush Lupine	S	Fabaceae
<i>Lupinus luteolus</i>	Butter Lupine	AH	Fabaceae
<i>Lupinus sparsiflorus</i> ssp. <i>sparsiflorus</i>	Few-flowered Lupine	AH	Fabaceae
<i>Madia elegans</i> ssp. <i>densifolia</i>	Dense-flowered Common Tarplant	AH	Asteraceae
<i>Madia elegans</i> ssp. <i>elegans</i>	Common Tarplant	AH	Asteraceae
<i>Madia gracilis</i>	Slender Tarplant	AH	Asteraceae
<i>Malacothamnus nuttallii</i>	Nuttall Bushmallow	S	Malvaceae
<i>Malacothrix californica</i> var. <i>californica</i>	California Cliff-aster	AH	Asteraceae
<i>Malacothrix clevelandii</i>	Cleveland Cliff-aster	AH	Asteraceae
<i>Malacothrix floccifera</i>	Woolly Dandelion	AH	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i>	Tenuated Cliff Desertdandelion	PH	Asteraceae
<i>Malosma laurina</i>	Laurelleaf Sumac	S	Anacardiaceae
<i>Malva neglecta</i> *	Common Mallow	AH	Malvaceae
<i>Malva parviflora</i> *	Cheeseweed	AH	Malvaceae
<i>Marah fabacea</i>	California Man-root	PV	Cucurbitaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit Family
<i>Marrubium vulgare</i> *	White Horehound	PH Lamiaceae
<i>Matricaria discoidea</i> [<i>Chamomilla suaveolens</i>]	Pineapple Weed	AH Asteraceae
<i>Matricaria occidentalis</i>	Valley Mayweed	AH Asteraceae
<i>Medicago minima</i> *	Burclover	AH Fabaceae
<i>Medicago polymorpha</i> *	Common Burclover	AH Fabaceae
<i>Medicago sativa</i> *	Alfalfa	AH Fabaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG Poaceae
<i>Melilotus albus</i> *	White Sweetclover	AH Fabaceae
<i>Melilotus indicus</i> *	Yellow Sweetclover	AH Fabaceae
<i>Mentzelia congesta</i> var. <i>congesta</i>	Congested Stickleaf	AH Loasaceae
<i>Mentzelia laevicaulis</i>	Blazing Star	AH Loasaceae
<i>Mentzelia micrantha</i>	Tiny-flowered Stickleaf	AH Loasaceae
<i>Mentzelia montana</i> ssp. <i>montana</i>	Mountain Stickleaf	AH Loasaceae
<i>Erythranthe cardinalis</i>	Scarlet Monkeyflower	PH Phrymaceae
<i>Mimetanthe pilosa</i>	Pilose or Downy Monkeyflower	AH Phrymaceae
<i>Minuartia douglasii</i>	Douglas Sandwort	AH Caryophyllaceae
<i>Monardella breweri</i> var. <i>lanceolata</i>	Mustang Mint	AH Lamiaceae
<i>Muhlenbergia rigens</i>	Deer Grass	PG Poaceae
<i>Muilla maritima</i> cf.	Common Muilla	PB Themidaceae
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>clevelandii</i>	Cleveland Lip-fern	PF Pteridaceae
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>covillei</i>	Coville Lip-fern	PF Pteridaceae
<i>Nama californica</i>	Lemmon California Waterleaf	AH Namaceae
<i>Nasturtium officinale</i> *	Water Cress	PH Brassicaceae
<i>Navarretia mellita</i>	Sticky Navarretia	AH Polemoniaceae
<i>Nemophila pedunculata</i>	Little-foot Baby Blue-eyes	AH Hydrophyllaceae
<i>Nicotiana attenuata</i>	Coyote Tobacco	PH Solanaceae
<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	Great Marsh Evening Primrose	AH Onagraceae
<i>Aphyllon tuberosum</i> [<i>Orobanche bulbosa</i>]	Chamise Broomrape	PH Orobanchaceae
<i>Paeonia californica</i> var. <i>californica</i>	California Peony	PH Paeoniaceae
<i>Paspalum dilatatum</i> *	Dallisgrass	PG Poaceae
<i>Paspalum distichum</i> *	Knotgrass	AG Poaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF Pteridaceae
<i>Pellaea mucronata</i> var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF Pteridaceae
<i>Penstemon centranthifolius</i>	Scarlet Buglar	PH Veronicaceae
<i>Penstemon grinnellii</i> var. <i>grinnellii</i>	Grinnell Beardtongue	PH Veronicaceae
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i>	Figwort Beardtongue	PH Veronicaceae
<i>Penstemon heterophyllus</i> var. <i>heterophyllus</i>	Mountain Penstemon	PH Veronicaceae
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldenback Fern	PF Pteridaceae
<i>Persicaria punctata</i>	Dotted Smartweed	PH Polygonaceae
<i>Phacelia brachyloba</i>	Short-lobed Phacelia	AH Hydrophyllaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH Hydrophyllaceae
<i>Phacelia distans</i>	Wild Heliotrope	AH Hydrophyllaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit Family
<i>Phacelia egena</i>	Rock Phacelia	PH Hydrophyllaceae
<i>Phacelia hubbyi</i>	Hubby Caterpillar Phacelia	AH Hydrophyllaceae
<i>Phacelia imbricata</i> ssp. <i>imbricata</i>	Imbricate Mountain Phacelia	PH Hydrophyllaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH Hydrophyllaceae
<i>Phacelia parryi</i>	Parry Phacelia	AH Hydrophyllaceae
<i>Phacelia tanacetifolia</i>	Tansy Phacelia	AH Hydrophyllaceae
<i>Phacelia viscida</i> var. <i>viscida</i>	Sticky Phacelia	AH Hydrophyllaceae
<i>Phoradendron bolleanum</i>	Fir Mistletoe	S Viscaceae
<i>Phoradendron leucarpum</i> ssp. <i>macrophyllum</i>	Bigleaf Mistletoe	S Viscaceae
<i>Phoradendron leucarpum</i> ssp. <i>villosum</i>	Oak Mistletoe	S Viscaceae
<i>Pickeringia montana</i> var. <i>montana</i>	Chaparral Pea	S Fabaceae
<i>Pinus monophylla</i>	Singleleaf Pinyon Pine	T Pinaceae
<i>Pinus ponderosa</i> var. <i>pacifica</i>	Pacific Ponderosa Pine	T Pinaceae
<i>Pinus radiata</i> *	Monterey Pine	T Pinaceae
<i>Platanus racemosa</i> var. <i>racemosa</i>	California Sycamore	T Platanaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG Poaceae
<i>Polemonium micranthum</i>	Small Phlox	AH Polemoniaceae
<i>Polygonum aviculare</i> ssp. <i>depressum</i> *	Common Knotweed	AH Polygonaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot Beardgrass	AG Poaceae
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont Cottonwood	T Salicaceae
<i>Populus trichocarpa</i>	Black Cottonwood	T Salicaceae
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i>	Western Choke Cherry	S Rosaceae
<i>Pseudognaphalium beneolens</i>	Coastal Everlasting	B/PH Asteraceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	PH Asteraceae
<i>Pseudognaphalium leucocephalum</i>	White Everlasting	PH Asteraceae
<i>Pseudognaphalium luteo-album</i> *	Cudweed Everlasting	PH Asteraceae
<i>Pseudognaphalium microcephalum</i>	White Everlasting	B/PH Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T Pinaceae
<i>Pteridium aquilinum</i> var. <i>pubescens</i>	Western Bracken Fern	PF Pteridaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH Polygonaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T Fagaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S Fagaceae
<i>Quercus chrysolepis</i>	Canyon Live Oak	Y Fagaceae
<i>Quercus john-tuckeri</i>	Tucker Oak	S Fagaceae
<i>Quercus wislizenii</i> ssp. <i>frutescens</i>	Shrubby Interior Live Oak	S Fagaceae
<i>Quercus wislizenii</i> ssp. <i>wislizenii</i>	Interior Live Oak	Y Fagaceae
<i>Rafinesquia californica</i>	California Chicory	PH Asteraceae
<i>Rhamnus crocea</i>	Spiny Redberry	S Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S Rhamnaceae
<i>Rhus trilobata</i> var. <i>quinata</i> [<i>R. aromatica</i>]	Skunkbrush	S Anacardiaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S Grossulariaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit	Family
<i>Ribes malvaceum</i> var. <i>viridifolium</i>	Sticky Chaparral Currant	S	Grossulariaceae
<i>Ribes roezlii</i> var. <i>roezlii</i>	Sierra Gooseberry	S	Grossulariaceae
<i>Ribes speciosum</i>	Fuchsia-flowered Gooseberry	S	Grossulariaceae
<i>Rigiopappus leptocladus</i>	Rigiopappus	AH	Asteraceae
<i>Romneya coulteri</i>	Coulter Matilija Poppy	PH	Papaveraceae
<i>Romneya trichocalyx</i>	Hairy Matilija Poppy	PH	Papaveraceae
<i>Rosa californica</i>	California Wild Rose	S	Rosaceae
<i>Rubus pensilvanicus</i> *	Pennsylvania Blackberry	PV	Rosaceae
<i>Rubus ursinus</i>	California Blackberry	PV	Rosaceae
<i>Rumex crispus</i> *	Curly Dock	PH	Polygonaceae
<i>Rupertia physodes</i>	Scurf-pea	PH	Fabaceae
<i>Salix exigua</i> var. <i>exigua</i>	Narrowleaf Willow	S	Salicaceae
<i>Salix exigua</i> var. <i>hindsiana</i>	Hind's Narrowleaf Willow	S	Salicaceae
<i>Salix laevigata</i>	Red Willow	T	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	Salicaceae
<i>Salsola tragus</i> *	Russian Thistle	AH	Amaranthaceae
<i>Salvia apiana</i> var. <i>apiana</i>	White Sage	S	Lamiaceae
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	Lamiaceae
<i>Salvia spathacea</i>	Hummingbird Sage	S	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	Adoxaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Sanicle	PH	Apiaceae
<i>Scutellaria siphocampyloides</i>	Skullcap	PH	Lamiaceae
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF	Selaginellaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i>	Shrubby Butterweed	S	Asteraceae
<i>Silene coniflora</i>	Many-veined Champion	AH	Caryophyllaceae
<i>Silene verecunda</i>	Cuyamaca Champion	AH	Caryophyllaceae
<i>Solanum douglasii</i>	Douglas Nightshade	PH	Solanaceae
<i>Solanum xanti</i>	Chaparral Nightshade	S	Solanaceae
<i>Solidago velutina</i> ssp. <i>californica</i>	California Goldenrod	PH	Asteraceae
<i>Sonchus oleraceus</i> *	Common Sow-thistle	AH	Asteraceae
<i>Spartium junceum</i> *	Spanish Broom	S	Fabaceae
<i>Stachys ajugoides</i>	Bugle Hedge Nettle	PH	Lamiaceae
<i>Stachys albens</i>	Woolly Hedgenettle	PH	Lamiaceae
<i>Stellaria media</i> *	Common Chickweed	AH	Caryophyllaceae
<i>Stephanomeria cichoriacea</i>	Fort Tejon Milk-aster	PH	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i>	Two-fruited Wreath Plant	AH	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	Asteraceae
<i>Stipa coronata</i>	Giant Needlegrass	PG	Poaceae
<i>Stipa occidentalis</i> var. <i>pubescens</i>	Elmer Needlegrass	PG	Poaceae
<i>Stylocline gnaphaloides</i>	Everlasting Nest Straw	AH	Asteraceae
<i>Tauschia arguta</i>	Southern Taushia	PH	Apiaceae

Plants of Dry Lakes Ridge, Ventura County, California

By David L. Magney

© 4 May 2002, revised 15 January 2026

Botanical Name	Common Name	Habit Family
<i>Tauschia parishii</i>	Parish Tauschia	PH Apiaceae
<i>Thermopsis macrophylla</i> var. <i>macrophylla</i>	False-Lupine	AH Fabaceae
<i>Thysanocarpus laciniatus</i>	Lace Pod	AH Brassicaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV Anacardiaceae
<i>Toxicoscordion</i> [<i>Zigadenus</i>] <i>brevibracteatus</i>	Desert Zigadene	PG Melanthiaceae
<i>Toxicoscordion</i> [<i>Zigadenus</i>] <i>fremontii</i>	Chaparral Star Lily	PG Melanthiaceae
<i>Trichostema lanatum</i>	Woolly Bluecurls	S Lamiaceae
<i>Trifolium albopurpureum</i> var. <i>albopurpureum</i>	Rancheria Clover	AH Fabaceae
<i>Trifolium longipes</i> ssp. <i>atrorubens</i>	Purple Clover	AH Fabaceae
<i>Turricula</i> [<i>Eriodictyon</i>] <i>parryi</i>	Poodle-Dog-Bush	S Namaceae
<i>Turritis glabra</i>	Tower Mustard	AH Brassicaceae
<i>Typha domingensis</i>	Southern Cattail	PH Typhaceae
<i>Umbellularia californica</i> var. <i>californica</i>	California Bay	T Lauraceae
<i>Uropappus lindleyi</i>	Silverpuffs	AH Asteraceae
<i>Venegasia carpesioides</i>	Canyon Sunflower	S Asteraceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	PH Verbenaceae
<i>Veronica anagallis-aquatica</i> *	Water Speedwell	AH Veronicaceae
<i>Viola purpurea</i> ssp. <i>purpurea</i>	Purple Violet	PH Violaceae
<i>Vulpia bromoides</i> *	Foxtail Fescue	AG Poaceae
<i>Vulpia microstachys</i> var. <i>pauciflora</i>	Side-oats	AG Poaceae
<i>Vulpia myuros</i> var. <i>hirsuta</i> *	Foxtail Fescue	AG Poaceae

Notes: Scientific nomenclature follows Flora of North America Committee (1993-2007) and Baldwin et al. (2012 - *The Jepson Manual*).

Common names follow Abrams and Ferris (1960 - *Illustrated Flora of the Pacific States*), Niehaus and Ripper (1976 - *A Field Guide to Pacific States Wildflowers*), and DeGarmo (1980 - *California List of Scientific and Common Plant Names*).

Plants in **bold** are rare in California and/or Ventura County as determined by Calif. Native Plant Society (2025, Magney 2023).

Plant Family assignment follows the Angiosperm Phylogeny Group 1998 (<http://www.mobot.org/MOBOT/research/APweb/>).

An "*" indicates non-native species which have become naturalized or persist without cultivation.

A "+" indicates ornamental or agricultural plant species that are actively cultivated.

Growth habit definitions:

AG = annual grass or graminoid.

PF = perennial fern or fern ally.

AH = annual herb.

PH = perennial herb.

AV = annual vine.

PV = perennial vine.

BH = biennial herb.

S = shrub.

PG = perennial grass or graminoid.

T = tree.