

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit	Family
<i>Achillea millefolium</i> var. <i>californica</i>	California White Yarrow	PH	Asteraceae
<i>Acmispon americanus</i> var. <i>americanus</i>	Spanish Broom	PH	Fabaceae
<i>Acmispon glaber</i> var. <i>glaber</i>	Deerweed	S	Fabaceae
<i>Acmispon maritimus</i> var. <i>maritimus</i>	Coastal Lotus	AH	Fabaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	Asteraceae
<i>Adenostoma fasciculatum</i> var. <i>fasciculatum</i>	Chamise	S	Rosaceae
<i>Adiantum jordanii</i>	Maidenhair Fern	PF	Pteridaceae
<i>Allium haematochiton</i>	Red-skinned Onion	PG	Alliaceae
<i>Alnus rhombifolia</i>	White Alder	T	Betulaceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	PH	Asteraceae
<i>Amorpha californica</i> var. <i>californica</i>	California False Indigo	S	Fabaceae
<i>Amsinckia intermedia</i>	Common Fiddleneck	AH	Boraginaceae
<i>Antirrhinum kelloggii</i>	Kellogg Snapdragon	AV	Plantaginaceae
<i>Apiastrum angustifolium</i>	Wild Celery	PH	Apiaceae
<i>Artemisia californica</i>	California Sagebrush	S	Asteraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	Asteraceae
<i>Arundo donax</i> *	Giant Reed	PG	Poaceae
<i>Asclepias fascicularis</i>	Narrowleaf Milkweed	AH	Asclepidaceae
<i>Astragalus oxyphysus</i>	Robust Milkvetch	PH	Fabaceae
<i>Astragalus trichopodus</i> var. <i>phoxus</i>	Antisell Three-pod Milkvetch	PH	Fabaceae
<i>Avena barbara</i> *	Slender Wild Oat	AG	Poaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	Asteraceae
<i>Baccharis plummerae</i> ssp. <i>plummerae</i>	Plummer Baccharis	S	Asteraceae
<i>Baccharis salicifolia</i>	Mulefat	S	Asteraceae
<i>Bloomeria crocea</i> var. <i>crocea</i>	Goldenstars	PG	Themidaceae
<i>Bombicylaena californica</i> var. <i>californica</i>	Slender Cottonseed	AH	Asteraceae
<i>Brassica nigra</i> *	Black Mustard	AH	Brassicaceae
<i>Brassica rapa</i> *	Field Mustard	AH	Brassicaceae
<i>Brickellia californica</i>	California Brickellbush	S	Asteraceae
<i>Brickellia nevinii</i>	Nevin's Brickellbush	S	Asteraceae
<i>Bromus diandrus</i> ssp. <i>diandrus</i> *	Ripgut Brome	AG	Poaceae
<i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> *	Soft Chess	AG	Poaceae
<i>Bromus madritensis</i> var. <i>madritensis</i> *	Mediterranean Brome	AG	Poaceae
<i>Bromus rubens</i> *	Red Brome	AG	Poaceae
<i>Calochortus albus</i>	Fairy Lantern	PG	Liliaceae
<i>Calochortus catalinae</i>	Catalina Mariposa Lily	PG	Liliaceae
<i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i>	Coast Scrub Morning-glory	PV	Convolvulaceae
<i>Calystegia purpurata</i> var. <i>purpurata</i>	Purple Morning-glory	PV	Convolvulaceae
<i>Camissoniopsis micrantha</i>	Tiny-flowered Primrose	AH	Onagraceae
<i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i> *	Italian Thistle	AH	Asteraceae
<i>Castilleja exserta</i> var. <i>exserta</i>	Purple Owl's-clover	AH	Orobanchaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball Ceanothus	S	Rhamnaceae

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit	Family
<i>Ceanothus megacarpus</i> var. <i>pendulus</i>	Pendulous Bigpod Ceanothus	S	Rhamnaceae
<i>Ceanothus oliganthus</i> ssp. <i>oliganthus</i>	Hoary Ceanothus	S	Rhamnaceae
<i>Ceanothus spinosus</i>	Greenbark Ceanothus	S	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	Asteraceae
<i>Cerastium glomeratum</i>	Sticky Mouse-ear Chickweed	AH	Caryophyllaceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	Rosaceae
<i>Chamomilla suaveolens</i>	Pineapple Weed	AH	Asteraceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	Agavaceae
<i>Chorizanthe staticoides</i> var. <i>staticoides</i>	Turkish Rugging	AH	Polygonaceae
<i>Clarkia epilabioides</i>	Willow-herb Godetia	AH	Onagraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i>	Four-spotted Purple Clarkia	AH	Onagraceae
<i>Clarkia unguiculata</i>	Elegant Farewell-to-Spring	AH	Onagraceae
<i>Claytonia parviflora</i> ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	Montiaceae
<i>Claytonia perfoliata</i> var. <i>perfoliata</i>	Miner's Lettuce	AH	Montiaceae
<i>Clematis lasiantha</i>	Pipestem Clematis	PV	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	Ranunculaceae
<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	Chinese Houses	AH	Plantaginaceae
<i>Conyza canadensis</i>	Common Horseweed	AH	Asteraceae
<i>Cordylanthus rigidus</i> var. <i>rigidus</i>	Rigid Cordylanthus	AH	Orobanchaceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-aster	PH	Asteraceae
<i>Crassula aquatica</i>	Water Pygmy Sand-weed	AH	Crassulaceae
<i>Crassula connata</i>	Pygmy Sand-weed	AH	Crassulaceae
<i>Crocanthemum scoparium</i> var. <i>scoparium</i>	Peak Rushrose	PH	Cistaceae
<i>Cryptantha intermedia</i> var. <i>intermedia</i>	Common Forget-Me-Not	AH	Boraginaceae
<i>Cryptantha microstachys</i>	Tejon Forget-Me-Not	AH	Boraginaceae
<i>Cuscuta subinclusa</i>	Canyon Dodder	AV	Convolvulaceae
<i>Cynodon dactylon</i> *	Bermuda Grass	PG	Poaceae
<i>Cyperus eragrostis</i>	Umbrella-Sedge	PG	Cyperaceae
<i>Cystopteris fragilis</i>	Fragile Fern	PF	Dryopteridaceae
<i>Dactylus glomerata</i> *	Orchard Grass	AG	Poaceae
<i>Datisca glomerata</i>	Durango Root	PH	Datisceae
<i>Daucus pusillus</i> *	Yerba de la Vibora	AH	Apiaceae
<i>Deinandra fasciculata</i>	Fascicled Tarplant	AH	Asteraceae
<i>Deinandra kelloggii</i>	Kellogg Tarplant	AH	Asteraceae
<i>Delphinium parryi</i> ssp. <i>parryi</i>	Parry Larkspur	PH	Ranunculaceae
<i>Diplacus longiflorus</i>	Sticky Bush Monkeyflower	S	Scrophulariaceae
<i>Dipterostemma capitatus</i> ssp. <i>capitatus</i>	Blue Dicks	PG	Themidaceae
<i>Dryopteris arguta</i>	Wood Fern	PF	Dryopteridaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	Crassulaceae
<i>Echinochloa crus-galli</i> var. <i>crus-galli</i> *	Barnyard Grass	AG	Poaceae
<i>Eleocharis macrostachya</i>	Common Spike-rush	PG	Cyperaceae
<i>Elymus condensatus</i>	Giant Wildrye	PG	Poaceae

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit	Family
<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	Whispering Bells	AH	Hydrophyllaceae
<i>Epilobium canum</i> var. <i>canum</i>	California Fuchsia	PH	Onagraceae
<i>Eremocarpus setigerus</i>	Dove Weed	AH	Euphorbiaceae
<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	Namaceae
<i>Eriogonum elongatum</i> var. <i>elongatum</i>	Slender Buckwheat	PH	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Wild Buckwheat	S	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	Asteraceae
<i>Erodium botrys</i> *	Broadleaf Filaree	AH	Geraniaceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	Geraniaceae
<i>Erodium moschatum</i> var. <i>moschatum</i> *	Whitestem Filaree	AH	Geraniaceae
<i>Erythranthe</i> ?	a Monkeyflower	AH	Phrymaceae
<i>Eulobus californica</i>	Mustard Primrose	AH	Onagraceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	Asteraceae
<i>Foeniculum vulgare</i> *	Sweet Fennel	PH	Apiaceae
<i>Galium angustifolium</i> var. <i>angustifolium</i>	Chaparral Bedstraw	PH	Rubiaceae
<i>Galium aparine</i>	Goosegrass	AH	Rubiaceae
<i>Galium californicum</i> ssp. <i>californicum</i>	California Bedstraw	PH	Rubiaceae
<i>Geranium dissectum</i> *	Dissected Geranium	AH	Geraniaceae
<i>Geranium mollis</i> *	Annual Cranesbill	AH	Geraniaceae
<i>Hazardia squarrosa</i> var. <i>squarrosa</i>	Sawtooth Goldenbush	S	Asteraceae
<i>Helianthus annuus</i>	Annual Sunflower	AH	Asteraceae
<i>Hesperoyucca whipplei</i> ssp. <i>whipplei</i>	Our Lord's Candle	S	Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S	Rosaceae
<i>Heterotheca grandiflora</i>	Telegraph Weed	AH	Asteraceae
<i>Heuchera elegans</i>	Urn-flowered Alumroot	PH	Saxifragaceae
<i>Hirschfeldia incana</i> *	Summer Mustard	BH	Brassicaceae
<i>Hoita orbicularis</i>	Round-leaved Hoita	PH	Fabaceae
<i>Holocarpha heermannii</i>	Heermann's Tarplant	AH	Asteraceae
<i>Hordeum murinum</i> var. <i>murinum</i> *	Winter Barley	AG	Poaceae
<i>Hypochaeris glabra</i> *	Smooth Cat's-ear	AH	Asteraceae
<i>Juglans californica</i>	Southern California Black Walnut	S/T	Juglandaceae
<i>Juncus effusus</i> var. <i>pacificus</i> ?	Pacific Rush	PG	Juncaceae
<i>Juncus textilis</i>	Basket Rush	PG	Juncaceae
<i>Juncus xiphioides</i>	Iris-leaved Rush	PG	Juncaceae
<i>Keckiella cordifolia</i>	Heart-leaved Penstemon	S	Plantaginaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	Asteraceae
<i>Lathyrus vestitus</i> var. <i>vestitus</i>	Pacific Peavine	PV	Fabaceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	Asteraceae
<i>Linanthus californicus</i> ssp. <i>californicus</i>	California Prickly Phlox	S	Polemoniaceae
<i>Leptosiphon parviflorus</i>	Yellow Linanthus	AH	Polemoniaceae
<i>Logfia</i> [<i>Filago</i>] <i>gallica</i> *	Woolly Filago	AH	Asteraceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	Poaceae

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit	Family
<i>Lomatium dasycarpum</i> ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	Apiaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	Caprifoliaceae
<i>Lupinus bicolor</i>	Bicolored Lupine	AH	Fabaceae
<i>Lupinus concinnus</i> ssp. <i>concinnus</i>	Bajada Lupine	AH	Fabaceae
<i>Lupinus hirsutissimus</i>	Nettle Lupine	AH	Fabaceae
<i>Lupinus nanus</i>	Sky Lupine	AH	Fabaceae
<i>Lupinus succulentus</i>	Fleshy Lupine	AH	Fabaceae
<i>Lysimachia arvensis</i> *	Scarlet Pimpernel	AH	Primulaceae
<i>Madia gracilis</i>	Slender Tarplant	AH	Asteraceae
<i>Malacothamnus nuttallii</i>	Nuttall's Bushmallow	S	Malvaceae
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i>	Tenuated California Cliff-aster	PH	Asteraceae
<i>Malosma laurina</i>	Laurreleaf Sumac	S	Anacardiaceae
<i>Malva parviflora</i> *	Cheeseweed	AH	Malvaceae
<i>Marah fabacea</i>	California Man-root	PV	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	Fabaceae
<i>Medicago minima</i> *	Small Burclover	AH	Fabaceae
<i>Medicago polymorpha</i> *	Common Burclover	AH	Fabaceae
<i>Medicago praecox</i> *	Burclover	AH	Fabaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	Poaceae
<i>Melilotus indicus</i> *	Yellow Sweetclover	AH	Fabaceae
<i>Microseris douglasii</i> ssp. <i>tenella</i>	Douglas Microseris	AH	Asteraceae
<i>Monardella hypoleuca</i> ssp. <i>hypoleuca</i>	White-veined Coyote Mint	PH	Lamiaceae
<i>Nasturtium officinale</i>	Water-cress	PH	Brassicaceae
<i>Navarretia atractyloides</i>	Hollyleaf Skunkweed	AH	Polemoniaceae
<i>Navarretia peninsularis</i>	Southern California Navarretia	AH	Polemoniaceae
<i>Nicotiana glauca</i> *	Tree Tobacco	T	Solanaceae
<i>Oloptum miliaceum</i> *	Smilo Grass	PG	Poaceae
<i>Opuntia ficus-indica</i> *	Mission Fig	S	Cactaceae
<i>Opuntia littoralis</i>	Coastal Prickly Pear	S	Cactaceae
<i>Oxalis albicans</i> ssp. <i>pilosa</i>	Hairy White Wood Sorrel	PH	Oxalidaceae
<i>Paeonia californica</i>	California Peony	PH	Paeoniaceae
<i>Pellaea andromedifolia</i>	Coffee Fern	PF	Pteridaceae
<i>Pellaea mucronata</i> var. <i>mucronata</i>	Birdsfoot Cliffbrake Fern	PF	Pteridaceae
<i>Pennisetum setaceum</i> *	African Fountaingrass	PG	Poaceae
<i>Penstemon centranthifolius</i>	Scarlet Buglar	PH	Plantaginaceae
<i>Pentagramma triangularis</i>	Goldenback Fern	PF	Pteridaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	Hydrophyllaceae
<i>Phacelia ramosissima</i> var. <i>latifolia</i>	Branching Phacelia	PH	Hydrophyllaceae
<i>Phacelia viscida</i> var. <i>albiflora</i>	White-flowered Viscid Phacelia	AH	Hydrophyllaceae
<i>Phalaris canariensis</i> *	Canary Grass	PG	Poaceae
<i>Phalaris minor</i> *	Lessor Canary Grass	AG	Poaceae
<i>Pholistoma auritum</i> var. <i>auritum</i>	Blue Fiesta Flower	AH	Hydrophyllaceae

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit	Family
<i>Phoradendron villosum</i>	Oak Mistletoe	S	Viscaceae
<i>Plagiobothrys nothofulvus</i>	Rusty Popcornflower	AH	Boraginaceae
<i>Plantago erecta</i>	California Plantain	AH	Plantaginaceae
<i>Plantago lanceolata</i> *	Narrowleaf Plantain	PH	Plantaginaceae
<i>Plantago pusilla</i> *	Atlantic Plantain	PH	Plantaginaceae
<i>Platanus racemosa</i> var. <i>racemosa</i>	California Sycamore	T	Platanaceae
<i>Poa annua</i> var. <i>annua</i>	Annual Bluegrass	AG	Poaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG	Poaceae
<i>Polygala cornuta</i> var. <i>fishiae</i>	Fish Milkwort	S	Polygalaceae
<i>Polypodium californicum</i>	California Polypody	PF	Polypodiaceae
<i>Populus trichocarpa</i>	Black Cottonwood	T	Salicaceae
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i> X <i>P. fremontii</i>	Black-Fremont Cottonwood hybrid	T	Salicaceae
<i>Potentilla glandulosa</i> var. <i>glandulosa</i>	Sticky Cinqufoil	PH	Rosaceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	PH	Asteraceae
<i>Pseudognaphalium leucocephalum</i>	White Everlasting	AH	Asteraceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	Polygonaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T	Fagaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	Fagaceae
<i>Rafinesquia californica</i>	California Chicory	AH	Asteraceae
<i>Ranunculus californicus</i> var. <i>californicus</i>	California Buttercup	AH	Ranunculaceae
<i>Raphanus sativus</i> *	Wild Radish	AH	Brassicaceae
<i>Rhamnus crocea</i>	Redberry	S	Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	Rhamnaceae
<i>Rhus trilobata</i> var. <i>quinata</i>	Skunkbrush	S	Anacardiaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	Grossulariaceae
<i>Ribes malvaceum</i> var. <i>viridifolium</i>	Sticky Chaparral Currant	S	Grossulariaceae
<i>Ribes speciosum</i>	Fuchsia-flowered Gooseberry	S	Grossulariaceae
<i>Ricinus communis</i> *	Castor Bean	S	Euphorbiaceae
<i>Rorippa palustris</i> var. <i>palustris</i>	Western Riparian Yellow-cress	AH	Brassicaceae
<i>Rosa californica</i>	California Wild Rose	S	Rosaceae
<i>Rumex crispus</i> *	Curly Dock	PH	Polygonaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S/T	Salicaceae
<i>Salvia apiana</i> var. <i>apiana</i>	White Sage	S	Lamiaceae
<i>Salvia columbariae</i>	Chia	AH	Lamiaceae
<i>Salvia leucophylla</i>	Purple Sage	S	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	Lamiaceae
<i>Salvia spathacea</i>	Hummingbird Sage	PH	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	Caprifoliaceae
<i>Sanicula arguta</i>	Southern California Sanicle	PH	Apiaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Snakeroot	PH	Apiaceae
<i>Schinus molle</i> *	Peruvian Pepper	T	Anacardiaceae
<i>Scrophularia californica</i> var. <i>californica</i>	California Figwort	PH	Scrophulariaceae

Plants of Ventura River/El Nido Preserve, Ojai Valley, California

By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit Family
<i>Selaginella bigelovii</i>	Bigelow Spike-moss	PF Selaginellaceae
<i>Senecio vulgare</i> *	Common Groundsel	AH Asteraceae
<i>Silene gallica</i> *	Windmill Pink	AH Caryophyllaceae
<i>Silybum marianum</i> *	Milk Thistle	AH Asteraceae
<i>Sisyrinchium bellum</i> var. <i>bellum</i>	Blue-eyed Grass	PG Iridaceae
<i>Solanun xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S Solanaceae
<i>Sonchus asper</i> var. <i>asper</i> *	Prickly Sow-thistle	AH Asteraceae
<i>Sonchus oleraceus</i> *	Common Sow-thistle	AH Asteraceae
<i>Spartium junceum</i> *	Spanish Broom	S Fabaceae
<i>Stellaria media</i> *	Common Chickweed	AH Caryophyllaceae
<i>Stellaria nitens</i>	Shining Chickweed	AH Caryophyllaceae
<i>Stipa lepida</i>	Foothill Needlegrass	PG Poaceae
<i>Stipa pulchra</i>	Purple Needlegrass	PG Poaceae
<i>Symphoricarpos mollis</i>	Snowberry	S Caprifoliaceae
<i>Thysanocarpus laciniatus</i>	Lace Pod	AH Brassicaceae
<i>Torilis nodosa</i> *	Hedge Parsley	AH Apiaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV Anacardiaceae
<i>Trichostema lanatum</i>	Woolly Bluecurls	S Lamiaceae
<i>Trichostema lanceolatum</i>	Vinegar Weed	AH Lamiaceae
<i>Umbellularia californica</i> var. <i>californica</i>	California Bay	T Lauraceae
<i>Uropappus lindleyi</i>	Silver Puffs	AH Asteraceae
<i>Urospermum picrioides</i> *	Prickly Goldenfleece	AH Asteraceae
<i>Urtica dioica</i> ssp. <i>gracilis</i>	Giant Creek Nettle	PH Urticaceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	PH Verbenaceae
<i>Vicia benghalensis</i> *	Mediterranean Vetch	PH Fabaceae
<i>Vicia villosa</i> var. <i>varia</i> *	Hairy Winter Vetch	AV Fabaceae
<i>Viola pedunculata</i> ssp. <i>pedunculata</i>	Johnny-Jump-Up	PH Violaceae
<i>Vulpia microstachys</i> var. <i>microstachys</i>	Six-weeks Fescue	AG Poaceae
<i>Vulpia myuros</i> var. <i>myuros</i> *	Rattail Fescue	AG Poaceae
<i>Woodwardia fimbriata</i>	Giant Chain Fern	PF Blechnaceae
<i>Xanthium strumarium</i>	Cocklebur	AH Asteraceae

Notes: Scientific nomenclature follows Flora of North America Committee (1998-2024), Bailey and Bailey (1976) for ornamentals, Broich (1987) for *Lathyrus* Reedy (1990) for *Leptodactylon*.

An * indicates non-native taxa that have become naturalized or persist without cultivation.

A + indicates ornamental or agricultural plant species that are actively cultivated.

Common names follow Abrams and Ferris (1960), Bailey and Bailey (1976) for ornamentals, and Hickman (1993), Niehaus and Ripper (1976), DeGarmo (1980), and Weeden (1986) for natives; some are devised by the author.

Growth habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

AV = annual vine.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

Plants of Ventura River/El Nido Preserve, Ojai Valley, California
By David L. Magney ©2002-2024

Botanical Name	Common Name	Habit Family
BH = biennial herb. PF = perennial fern or fern ally.	T = tree.	

Reproduction by permission only – David L. Magney, PO Box 1539, Cedar Ridge, CA 95924-1539; 805/701-2132; david(at)magney(dot)org
This checklist may be reproduced for educational purposes only and authorship credit must be given.
